



ROVER SERIES PROJECTOR
SURFACE MOUND




ROVER SERIES PROJECTOR
SURFACE MOUND



IP20 | CE | CB | | |

Ceiling canopy: steel
Body: aluminium
Housing: steel
Optic: PMMA Diffuser



white
 Black

ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	Size(øxDxH) (MM)	DRIVER			
						On/Off	1-10V	DALI	Triac
ROCS380-W/B-830	28	120	3000	2485	ø380x66x115	✓	✓	✓	✓
ROCS380-W/B-840			4000	2680					
ROCS610-W/B-830	48	120	3000	4700	ø600x66x115	✓	✓	✓	✓
ROCS610-W/B-840			4000	5000					
ROCS910-W/B-830	110	120	3000	9420	ø900x66x115	✓	✓	✓	✓
ROCS910-W/B-840			4000	10560					



white



Black



ROVER SERIES PROJECTOR
LED PENDANT LAMP




ROVER SERIES PROJECTOR
LED PENDANT LAMP




IP20 | CE | CB | | |

Ceiling canopy: steel
Body: aluminium
Housing: steel
Optic: PMMA Diffuser

white
 Black



ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	Size(øxDxH) (MM)	DRIVER			
						On/Off	1-10V	DALI	Triac
ROCP380-W/B-830	28	120	3000	2485	ø380x66x115	✓	✓	✓	✓
ROCP380-W/B-840			4000	2680					
ROCP610-W/B-830	48	120	3000	4700	ø600x66x115	✓	✓	✓	✓
ROCP610-W/B-840			4000	5000					
ROCP910-W/B-830	110	120	3000	9420	ø900x66x115	✓	✓	✓	✓
ROCP910-W/B-840			4000	10560					



White



Black

ROVER FABRIC PROJECTOR
LED PENDANT LAMP




ROVER FABRIC PROJECTOR
LED PENDANT LAMP



IP20 | CE | CB | | |

Ceiling canopy: steel
Body: fabric
Housing: steel
Optic: PMMA Diffuser

Blue Black Red Yellow



ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	Size(∅xH) (MM)	DRIVER			
						On/Off	1-10V	DALI	Triac
BOVP380-W/B/S	28	120	3000 4000	2485 2680	∅380x66x115	✓	✓	✓	✓
BOVP610-W/B/S	48	120	3000 4000	4700 5000	∅600x66x115	✓	✓	✓	✓
BOVP910-W/B/S	110	120	3000 4000	9420 10560	∅900x66x115	✓	✓	✓	✓

CCT Switch: 3000K 4000K

BOVP380-W/B/S-830	28	120	3000	2485	∅380x66x115	✓	✓	✓	✓
BOVP380-W/B/S-840			4000	2680					
BOVP610-W/B/S-830	48	120	3000	4700	∅600x66x115	✓	✓	✓	✓
BOVP610-W/B/S-840			4000	5000					
BOVP910-W/B/S-830	110	120	3000	9420	∅900x66x115	✓	✓	✓	✓
BOVP910-W/B/S-840			4000	10560					



Blue

Black

Red

Yellow



ROVER FABRIC SERIES PROJECTOR
SURFACE MOUND




ROVER FABRIC PROJECTOR
SURFACE MOUND



IP20 | CE | CB | | |

Ceiling canopy: steel
Body: fabric
Housing: steel
Optic: PMMA Diffuser



Blue Black Red Yellow

ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	Size(øxDxH) (MM)	DRIVER			
						On/Off	1-10V	DALI	Triac
BOVS380-W/B/S	28	120	3000	2485	ø380x66x115	✓	✓	✓	✓
4000			2680						
BOVS610-W/B/S	48	120	3000	4700	ø600x66x115	✓	✓	✓	✓
4000			5000						
BOVS910-W/B/S	110	120	3000	9420	ø900x66x115	✓	✓	✓	✓
4000			10560						

CCT Switch: 3000K 4000K

BOVS380-W/B/S-830	28	120	3000	2485	ø380x66x115	✓	✓	✓	✓
BOVS380-W/B/S-840			4000	2680					
BOVS610-W/B/S-830	48	120	3000	4700	ø600x66x115	✓	✓	✓	✓
BOVS610-W/B/S-840			4000	5000					
BOVS910-W/B/S-830	110	120	3000	9420	ø900x66x115	✓	✓	✓	✓
BOVS910-W/B/S-840			4000	10560					



Blue



Black



Red



Yellow